Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		("702"/$.ccls. or "345"/$.ccls.) and connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))near10 (drag$4 or (drag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)near15 connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:22
		("702"/$.ccls. or "345"/$.ccls.) and connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))near10 (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)near10 connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:16
		("702"/$.ccls. or "345"/$.ccls.) and connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))near10 (drag$4 or (drag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)same connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:22

		("702"/$.ccls. or "345"/$.ccls.) and connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))near10 (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)same connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:16
		("702"/$.ccls. or "345"/$.ccls.) and connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)same connect$4 near10 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:16
		("702"/$.ccls. or "345"/$.ccls.) and connect$4 near15 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)same connect$4 near15 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:15

		("702"/$.ccls. or "345"/$.ccls.) and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)same connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:13
		("702"/$.ccls. or "345"/$.ccls.) and connect$4 near15 ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)same connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:11
		"345"/$.ccls. and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:07
		"702"/$.ccls. and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:04

		345/440 and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:02
		"6738964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:51
		"6738964" and (target$1 or "secondary" or "secondary processing" or "secondary processing system")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:16
		"6738964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:14
S1	43	"4868785"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:51
S2	8	"4868785" and pins	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:52
S3	6	"4868785" and pins same connect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:53
S4	2	"4868785" and pins same connect$5 same (state or when or whether or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:53
S5	1	"4868785" and pins same connect$5 same (state or when or whether or if)and (web or internet or net or lan or wan or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58

S6	1782	345/440	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
S7	1388	345/440 and connect$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
S8	1407	345/440 and connect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
S9	27	345/440 and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:00
S10	8	345/440 and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:29
S11	4	345/440 and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))same (user or manual42)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:44
S12	4	345/440 and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))same (user or manual$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:32

S13	1	702/68 and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))same (user or manual$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:32
S14	8	345/440 and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:34
S15	5	702/68 and connect$4 same ((pin or pins)and (element$1 or component$1 or device$1 or circuit$1 or module$1 or engine$1))same (drag$4 or (grag$4 and drop$4) or (user adj interfac$3 or gui or select$4 or editor or editing or modify$3 or modification))and (state$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:35
S16	2	"6738964" and (user or gui or manual$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:44
S17	2	"6738964" and (user or gui or manual$2)and (state$1 or whether or if or when or indicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:45

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8)and edit$4 near3 web near1 process$5 and (connect$5 or pin or pins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:53
		S4 AND (EDIT$4 OR MODIF$9)AND (WEB OR NET OR INTERNET OR NETWORK$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:27
		S4 AND (EDIT$4 OR MODIF$9)AND (WEB OR NET OR INTERNET OR NETWORK$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 10:49
S1	3	"6738964"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:16
S2	2	"6738964" AND (EDIT$4 OR MODIF$9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:16
S3	2	"6738964" AND (EDIT$4 OR MODIF$9)AND (WEB OR NET OR INTERNET OR NETWORK$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:25
S4	202	"6139177" OR "6170007" OR "5956487" OR "4634970" OR "4818932" OR "4906916"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:24

S5	76	S4 AND (EDIT$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING) AND (WEB OR NET OR INTERNET OR NETWORK$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:28
S6	49	S4 AND (EDIT$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING) SAME (WEB OR NET OR INTERNET OR NETWORK$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:29
S7	120	S4 AND (EDIT$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING OR CONNECT OR CONNECTING OR CONNECTED) SAME (WEB OR NET OR INTERNET OR NETWORK$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:30
S8	0	S4 AND (EDIT$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING OR CONNECT OR CONNECTING OR CONNECTED) SAME (WEB OR NET OR INTERNET OR NETWORK$4)AND PROCXESSOR$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:30
S9	94	S4 AND (EDIT$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING OR CONNECT OR CONNECTING OR CONNECTED) SAME (WEB OR NET OR INTERNET OR NETWORK$4)AND PROCESSOR$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:31
S10	27	S4 AND ((EDIT$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING OR CONNECT OR CONNECTING OR CONNECTED) SAME (WEB OR NET OR INTERNET OR NETWORK$4))SAME PROCESSOR$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:31
S11	1	"6738964".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:02
S12	0	"6738964".uref. and procssor$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:02

S13	0	"6738964" and procssor$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:03
S14	3	"6738964"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:03
S15	3	"6738964" and process$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:21
S16	205	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:22
S17	152	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:22
S18	120	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 and (web or netrwork43 or internet or net or intranet or lan or wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:23
S19	24	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 same (web or netrwork43 or internet or net or intranet or lan or wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:24

S20	21	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 same (web or netrwork43 or internet or net or intranet or lan or wan)and (configur$6 or custom or customiz$3 or customization$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:25
S21	4	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 same (web or netrwork43 or internet or net or intranet or lan or wan)same (configur$6 or custom or customiz$3 or customization$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:32
S22	105	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur$6 or custom or customiz$3 or customization$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:25
S23	4	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 same (web or netrwork43 or internet or net or intranet or lan or wan)same (configur$6 or custom or customiz$3 or customization$1)and (location or position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:36
S24	37	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 and (web or netrwork43 or internet or net or intranet or lan or wan)same (configur$6 or custom or customiz$3 or customization$1)and (location or position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:36

S25	91	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur$6 or custom or customiz$3 or customization$1)and (location or position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:36
S26	1	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur$6 or custom or customiz$3 or customization$1)and (location or position)same pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:36
S27	42	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur$6 or custom or customiz$3 or customization$1)and (location or position)same (connect$5 or pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:37
S28	13	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")and processor$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur$6 or custom or customiz$3 or customization$1)and ((location or position)same (connect$5 or pin))same process$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:49
S29	22612	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near2 process$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:50

S30	10710	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:50
S31	617	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:51
S32	69	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8)and edit$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:51
S33	5	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8)and edit$4 near3 web near1 process$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:53
S34	61	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same web near1 process$5 and (connection$1 or connecting or connect$2 or pin or pins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:09
S35	48	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:56

S36	43	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)same (configur$6 or custom$8 or edit$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:59
S37	4	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)near3 (configur$6 or custom$8 or edit$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:02
S38	13	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)near5 (configur$6 or custom$8 or edit$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:02
S39	17	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)near7 (configur$6 or custom$8 or edit$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:59

S40	17	((("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)near9 (configur$6 or custom$8 or edit$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:59
S41	19	((("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)near11 (configur$6 or custom$8 or edit$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:59
S42	19	((("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)near15 (configur$6 or custom$8 or edit$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:05
S43	43	((("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)same (configur$6 or custom$8 or edit$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:08

S44	3	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same (lan or wan or net or network$4 or web internet$1 or intranet$1) near5 process$5 and (connection$1 or connecting or connect$2 or pin or pins)same (configur$6 or custom$8 or edit$4)and "345"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:09
S45	0	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same web near1 process$5 and (connection$1 or connecting or connect$2 or pin or pins)and 345/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:10
S46	5	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same web near1 process$5 and (connection$1 or connecting or connect$2 or pin or pins)and "345"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:20
S47	14	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964")or web near1 process$5)same (location or position) and (configur$6 or custom$8 or edit$4) same web near1 process$5 and (connection$1 or connecting or connect$2 or pin or pins)and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:15
S48	1	cake and blackman.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:20

S49	0	web near2 processing and blackman.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:20
S50	3	"6788311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 11:30
S51	0	"6788311".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 10:50
S52	0	"6788311".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 10:50
S53	2	"6750864"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 11:30